
ltaral Marketing Service



7500050

### THE UNITED STATES OF AMI

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Rogers Brothers Seed Company

Wilherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF  ${
m LAW}$  IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED to be entitled to a certificate of plant variety protection under the  ${
m LAW}.$ 

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF Seventeen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN

'Splendorgold'

In Lestimony Watercot, I have hereunto set my hand and caused the seal of the Plaut Variety Protection Office to be affixed at the City of Washington, DC day of June this 18th the year of our Lord one thousand nine hundred and seventy-six

Karl L. But

# UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

Ì

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.				
1. VARIETY NAME OR TEMPORARY DESIGNATION	2. KIND NAME		FOR OFFICIAL USE ONLY	
Splendorgold	Snap bean		7500	0050
3. GENUS AND SPECIES NAME	4. FAMILY NAME (Bo	tanical)	FILING DATE	TIME
	T		1.21.75	5 P.M.
Phaseolus Vulgaris	Leguminoseae		\$ 250	BALANCE DUE
THOSOTO ANTRUITS	Spring 1974		\$ 250	-  <del> </del>
			\$ 250	<u></u>
6. NAME OF APPLICANT(S)	0-4-3	nd No. or R.F.D. No.,		8. TELEPHONE AREA CODE AND NUMBER
Rogers Brothers Company	Kogers	Brothers Comp. Box 2188	any	JUDE AND NUMBER
		Box 2188 Falls, Idaho	83401	208-522-0110
	P. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.)		RPORATION	11. DATE OF INCOR- PORATION
Corporation		Delaware		1958
12. Name and mailing address of applic	- T	), if any, to serve	in this application	and receive all papers:
Charles Green, Administrat	- T			
Rogers Brothers Company	•			
P. O. Box 2188 Idaho Falls, Idaho 83401				
rails, ludio 03401				
13. CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED			
(X) 13A. Exhibit A, Origin and Bree		Variety (See Section	n 52 of the Plant V	'ariety Protection Act.)
X 13B. Exhibit B, Botanical Desc	cription of the Variet	t <b>y</b>		
🛣 13C. Exhibit C, Objective Descr	ription of the Variet	у		
X 13D. Exhibit D, Data Indicative	of Novelty	; ,		
X 13E. Exhibit E, Statement of the	e Basis of Applicant	's Ownership		
14A. Does the applicant(s) specify that (See Section 83(a) (If "Yes," an		elow.)	YES X NO	
14B. Does the applicant(s) specify that	t this variety be	14C. If "Yes," to	14B, how many gen	nerations of production
limited as to number of generation	YES NO	beyond breed	N REGISTERE	
The applicant declares that a viable s ance of a certificate and will be reple				
The undersigned applicant(s) of this				
uniform, and stable as required in Se Plant Variety Protection Act.	ection 41 and is enti	itled to protection i	under the provision:	s of Section 42 of the
Applicant is informed that false repr	esentation herein ca	un jeopardize protec	ction and result in p	penalties.
_		nl.	1. 1.	· ·
January 16, 1975		endi	res 2re	(ANT)
(DATE)		(sı	IGNATURE OF APPLIC	-an-U
January 16, 1975	_			<u> </u>
(DATE)	_	(Si	IGNATURE OF APPLIC	ANT)

#### INSTRUCTIONS

ication, exhibits and \$250.00 ral Marketing Service, Grain Maryland 20782. (See Section

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

#### ITEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

Snap Bean

## EXHIBIT A Origin and Breeding History of the Variety

SPLENDORGOLD, a mid-season, wax podded garden bean, was derived from the following hand-pollinated cross:

#### EARLIWAX X GALLATIN 50

The above cross was made during the fall of 1962 and the following series of selections followed:

Year	Generation	Plot *	Harvested
1963	F2	63375	20 single plant selections
1964	F3	641408	3 single plant selections
1965	F4	651045-D	7 single plant selections
1966	F5	66693-4	2 single plant selections
1967	F6	67736	13 ounce bulk harvest

<sup>\*</sup> The plots listed above were only one of the several that were increased from each previous generation.

The 13 ounce sample of 67736 was treated as 68252 and the balance was increased as plot 68686 during the 1968 season. The harvest from these plots was increased during the 1969 season followed by a winter increase planting during the winter of 1969-70. The initial seed stock increase of SPLENDORGOLD in Idaho was made during the summer of 1970. Area adaptability and processing trials conducted both in the U.S. and abroad during ensuing years reveal good range of acceptability. An improved pure line that was harvested as a single plant selection during 1968 has been increased and released for production increase as stock 72462. It has produced a lower frequency of flat pod rogues than the original line. This new line is the basis for description information for this application. Several smaller pure line selections are presently being evaluated and the best of these will be increased and held in reserve as new pure lines to maintain the variety SPLENDORGOLD.

Variant types occurring in SPLENDORGOLD have consisted of approximately one flat pod per 2,500 plants; one string pod per 20,000 plants; and one greenpod per 15,000 plants. Dry seed color has varied from light buff to white. When seeds having white seed coats have been removed and planted separately, dry seed coat colors ranging from buff to white have been harvested. It is speculated then that the white seeds are the light buff type that have bleached.

Snap Bean

#### EXHIBIT B

#### Botanical Description of the Variety

SPLENDORGOLD is a mid-season wax podded snap bean variety that is three to four days later than the variety Earliwax and has a similar bush habit. The bush is approximately two inches taller than Earliwax, is erect, open and determinate, and has medium to small leaves. The pods are longer and fleshier than the pods of Earliwax and seed and fiber development are slower. SPLENDORGOLD therefore has better holding quality. The pod color is a deep gold and uniform color. SPLENDORGOLD yields a higher percentage of large sieved pods than is common with Earliwax (approximately 40% five sieve or larger for SPLENDORGOLD compared to approximately 30% for Earliwax). SPLENDORGOLD is common mosaic virus resistant and is tolerant to yellow bean mosaic.

#### EXHIBIT D - SUPPLEMENT

#### DATA INDICATIVE OF NOVELTY

SPLENDORGOLD most nearly resembles Kinghorn Wax except SPLENDORGOLD is resistant to Common Bean Mosaic, BV1 and NY15 strains, whereas Kinghorn Wax is not resistant to Common Bean Mosaic.

Also SPLENDORGOLD has a grey-buff seed color whereas Kinghorn Wax has white seed color.

Snap Bean

#### EXHIBIT E

#### Statement of Applicant's Ownership

Rogers Brothers Company, P. O. Box 2188, Idaho Falls, Idaho, believes it to be the sole, original and first breeder of the "SPLENDORGOLD" variety of snap bean for which it solicits a certificate of protection.

FORM GR-470-12 (11-15-72)

2 Color: 1 = LIGHT GREEN (Bountiful)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782
OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse. BEAN (PHALEOLUS VULGARIS)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY			
Rogers Brothers Company	PVPQ NUMBER			
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	7 <i>5</i> -50			
P. O. Box 2188	VARIETY NAME OR TEMPORARY			
Idaho Falls, Idaho 83401	DESIGNATION			
<u> </u>	Splendorgold			
Place the appropriate number that describes the varietal character of this variety in the boxes below	w.			
Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less.  1. TYPE:				
I. ITPE:				
1 1 = SNAPBEAN 2 = GREEN SHELL 3 = DRY EDIBLE 4 = MULTIPURPOSE				
2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.:	· ·			
Grows best during: 1 = SPRING 2 = SUMMER 3 = FALL	4 = WINTER			
Best adapted in: 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORT 5 = SOUTHWEST 6 = MOST REGIONS	HEAST 4 = SOUTHEAST			
3. MATURITY (Days from seeding to first harvest):				
5 7 GREEN PODS 6 4 GREEN SHELLS 9 5	DRY SEEDS			
0 4 NO. DAYS EARLIER THAN 1 ) I = TENDERCROP 2 = KEN				
T ( T T ENDERCROP 2 - KEN	TUCKY WONDER 3 = KINGHORN WAX 4ELITE 62 6 = DWARF HORTI-			
O I 1 NO DAYS LATER THAN	IELITE 62 6 = DWARF HORTI ER (Specify) CULTURAL			
4. PLANT:				
1 = DETERMINATE, ERECT BUSH 2 = DETERMINATE, SPRAWLING BUSH 3 = DETERMINATE, SEMIPOLE 4 = INDETERMINATE, POLE				
0 3 6 CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE				
0 0 3 NUMBER PRIMARY BRANCHES PER MAIN STALK	CM. SPREAD			
2 Branching habit: 1 = COMPACT 2 = OPEN	NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF TERMINAL INFLORESCENCE			
0 1 CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF	MM. STALK DIAMETER ABOVE			
	FIRST TRIFOLIATE LEAF			
1 Main stalk: 1 = BRITTLE 2 = WIREY 1 1. STOUT 2. THIN				
2 Flower position:				
Pod Position: 1 = LOW, CONCENTRATED 2 = HIGH, CONCENTRATE	D 3 = SCATTERED			
5. LEAVES:				
1 1 = SMOOTH 2 = WRINKLED 1 = DULL 2 = GLOSSY 1 Thi	ckness: 1 = THIN 2 = MEDIUM 3 = THICK			
	I. PETIOLE LENGTH  be basal leaflets of first trifoliate leaf)			
1 Tip shape of center leaflet:	RP POINTED			
PUBESCENCE - Dorsal:				
1 PUBESCENCE - Ventral: 1 = NONE 2 = SLIGHT 3 = CON	SIDER ABLE 4			

2 # MEDIUM GREEN

3 = DARK GREEN (Bush Blue Lake)

FORM GR-470-12 (PAGE 2 OF 3 PAGES)	
6. FLOWERS:  1  1 = WHITE 2 = CREAM 3 = PINK	4 = LILAC 5 = PURPLE
Color: 6 = OTHER (Specify)	
3 Racemes: 1 = LONG 2 = MEDIUM 3 = SH	ORT NUMBER FLOWERS PER RACEME
7. FRESH PODS: (Edible maturity, averages for 10 pods)	
Color: 1 = LIGHT GREEN (Bountiful) 2 = ME	DIUM GREEN (Tendergreen) 3 = DARK GREEN (Wade)
	LDEN YELLOW (Cherokee Wax) 6 = GREEN-RED VARIAGATED (Horticultural)
7 = OTHER (Specify) <u>Earliwax</u>	(Horrican day)
1 2 CM. LENGTH 0 9 MM. WIDTH (Between sutures)	1 0 MM. THICKNESS 0 9 WIDTH THICKNESS X 10
Cross section pod shape: 1 = FLAT 2 = OVAL	3 = CREASEBACK 4 = ROUND
Curvature: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED	Pubescence: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE
2 Constrictions: 1 = NONE 2 = SLIGHT 3 = DEEP	2 Spur: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVE
Surface: 1 = SHINY 2 = DULL	Surface: 1 = SMOOTH 2 = BLISTERED
Pod flesh: 1 = LIGHT 2 = DARK	Pod flesh: 1 = FIRM 2 = WATERY
12 MM. SPUR LENGTH	2 Suture string: 1 = PRESENT 2 = ABSENT
Fiber: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE	2 Seed development: 1 = SLOW 2 = MEDIUM 3 = FAST
5 NUMBER OF SEEDS PER POD	6 NUMBER PODS PER PLANT (Once over harvest)
6 NUMBER MARKETABLE PODS PER PLANT (Once over harvest	() 1 Machine harvest: 1 = ADAPTED 2 = NOT ADAPTED
8. SEED COAT COLOR:	
1 = MONOCHROME 2 = POLYCHROME	2 1 = SHINY 2 = DULL
3 Primary color: ) 1 = WHITE 2 = YELLOW	3 = BUFF 4 = TAN .
5 = BROWN 6 = PINK	7 = RED 8 = PURPLE
11 Secondary color:) 9 ≈ BLUE 10 = BLACK	11 = OTHER (Specify) Grey
O Color pattem: 1 = SPLASHED 2 = MOTTLED 3 =	STRIPED 4 = FLECKED 5 = DOTTED
) = HILAR RING	2 = HILAR SURFACE
1 Secondary color location: 3 = STROPHIOLE 5 = SIDES	4 = MICROPYLE 6 = DORSAL SURFACE
7 = NOT RESTRICTED TO ANY AR	REA 8 = COMBINATION OF LOCATIONS (Specify)
2 Hilar ring: 1 = NOT PRESENT 2 = NARROW 3 = BU	UTTERFLY SHAPED
2 Vein-like under coat pattem: 1 = ABSENT 2 = PRESENT	r
9. SEED SHAPE AND SIZE:	<del></del>
Hilum view: 1 = ELLIPTICAL 2 = OVAL 3 = ROUND	3 Side view: 3 = KIDNEY 4 = TRUNCATE ENDS
4 Cross section: 1 = ELLIPTICAL 2 = OVAL 3 = CORDATE 4 = ROUND	28 GM. WEIGHT PER 100 SEEDS
4 Classification: 1 = PEA 2 = MEDIUM 3	= MARROW 4 = KIDNEY 5 = PINTO
0 5 MM. WIDTH (Dorsal to ventral)	0 4 MM. THICKNESS (Side to side)
1 3 MM. LENGTH	0 1 2 WIDTH X 10

FORM GR-470-12 (PAGE 3 OF 3 PAGES)				
10. ANTHOCYANIN: (1 = Absent 2 = Present):				
1 FLOWERS 1 STEMS 1 PODS	1 SEEDS 1 LEAVES			
11. DISEASE RESISTANCE (0 = Not tested; 1 = Susceptible; 2 = R	esi <i>sta</i> nt):			
O RUST (Specify race)	0 ANGULAR LEAF SPOT			
0 BACTERIAL WILT	2 COMMON BEAN MOSAIC			
0 ANTHRACNOSE	1 YELLOW BEAN MOSAIC			
0 SOUTHERN BEAN MOSAIC	1 FUSARIUM ROOT ROT			
1 CURLY TOP	2 N.Y. 15 BEAN MOSAIC			
0 POWDERY MILDEW	0 BEAN MOSAIC VIRUS 4			
1 HALO BLIGHT	1 FUSCOUS BLIGHT			
0 ALFALFA MOSAIC VIRUS	0 ALFALFA MOSAIC VIRUS 2			
0 POD MOTTLE VIRUS	0 RED NODE VIRUS			
0 ROOT KNOT NEMATODE	OTHER (Specify)			
12. INSECT RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)				
O APHIDS	0 LEAF HOPPERS			
POD BORER	0 LYGUS			
THRIPS	0 WEAVILS			
0 SEED CORN MAGGOT	OTHER (Specify)			
13. PHYSIOLOGICAL RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)				
0 HEAT 0 COLD 0 DROUG	OTHER (Specify)			

REFERENCES: The following publications may be used as a reference in completing this form:

- 1. Beans of New York. Vol. 1 Part II of Vegetables of New York. U.P. Hedrick et al. J. B. Lyon Company, Albany, N.Y. 1931.
- 2. Yarnell, S. H., Cytogenetics of the Vegetable Crops IV. Legumes. Bot. Rev. 31:247 330. 1965.
- 3. USDA Yearbook of Agriculture. 1937.

COLOR: Nickerson's or any recognized color fan may be used to determine the colors.